


UNICAN IMMOBILIZER EMULATOR

VERSION 1.04 - 24C02 EEPROM SYNCHRO / SPEED SETTINGS

Immobilizer emulator for systems communicating via CANBUS



LED BEHAVIOR :

LED blink once -> NO QUERY FROM ECU OR WRONG CANBUS SPEED SELECTED

LED is ON all the time -> THE EMULATOR SEES THE QUERY FROM THE ECU, THE SPEED IS SELECTED WELL BUT THE SYNCHRO BYTES ARE WRONG, THE ECU IS NOT UNLOCKED

LED blinking -> ECU IS UNLOCKED OK

THE SOFTWARE VERSION 1.04 INCLUDES THE FOLLOWING PROGRAMS, WHICH IS SELECTED AUTOMATICALLY :

- | | |
|------------------------------|--------------------------------|
| 1. RENAULT | - speed of CANBUS : 250/500 |
| 2. PSA | - speed of CANBUS : 250/500 |
| 3. VAG WFS4 | - speed of CANBUS : 500 |
| 4. FIAT | - speed of CANBUS : 50/250/500 |
| 5. NISSAN NATS6/7 | - speed of CANBUS : 500 |
| 6. MERCEDES FBS2 | - speed of CANBUS : 125/500 |
| 7. MERCEDES CR2 (EDC15 ONLY) | - speed of CANBUS : 500 |
| 8. VAG3 WFS3 | - speed of CANBUS : 500 |

TO CHOOSE THE CORRECT SPEED OF THE CANBUS, YOU NEED TO ENTER THE APPROPRIATE VALUE INTO THE 24C02 EEPROM MEMORY MOUNTED ON THE EMULATOR, SPEED SETTING ADDRESS IS 0X01:

- Value 0x50 speed is set to 500 kbps
- Value 0x25 speed is set to 250 kbps
- Value 0x12 speed is set to 125 kbps
- Value 0x05 speed is set to 50 kbps

SYNCHRONIZATION BYTES -> DEPENDING ON THE SYSTEM TO WHICH WE WANT TO USE THE EMULATOR, ENTER FROM ECU DUMPS TO 24C02 ON EMULATOR PCB, START WRITE FROM THE ADDRESS 0X10, E.G :

RENAULT - 8C 0F 94 33 E7 14, SPEED 500

	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F
00000	FF	50	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
00010	8C	0F	94	33	E7	14	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
00020	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
00030	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
00040	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
00050	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
00060	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
00070	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
00080	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
00090	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
000A0	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
000B0	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
000C0	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
000D0	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
000E0	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
000F0	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF

PSA - 51434644 (QCFD - ASCII PIN CODE), SPEED 250

	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F	0123456789ABCDEF
00000	FF	25	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	'%'.....
00010	51	43	46	44	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	QCFD'.....
00020	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
00030	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
00040	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
00050	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
00060	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
00070	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
00080	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
00090	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
000A0	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
000B0	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
000C0	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
000D0	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
000E0	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
000F0	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF

MERCEDES CR2/FAKE FBS3 (EDC15 ONLY) - CHOOSE A SPEED OF 500, AND DO NOT ENTER ANYTHING ELSE INTO THE EMULATOR, IN THE ECU WE MODIFY ONE LINE IN THE EEPROM 95P08 AT THE ADDRESS 0X1D0 : 02 03 00 FF FF XX XX XX

VAG WFS4 - CS 6 BYTES, MAC 4 BYTES, BRAND 1 BYTE

VW -01, AUDI - 03, SKODA - 06, SEAT - 05

SPEED 500

	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F
00000	FF	50	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
00010	75	CE	3A	9E	37	4F	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
00020	54	BF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
00030	EE	E3	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
00040	01	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
00050	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
00060	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
00070	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
00080	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
00090	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
000A0	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
000B0	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
000C0	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
000D0	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
000E0	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
000F0	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF

FOR CREATE CONTENT TO WFS4 EMULATOR YOU CAN USE

VAG IMMO CALCULATOR SOFTWARE

MCU ID:	<input type="text" value="418486810EA091498206001024180C00"/>	<input type="checkbox"/> Auto Swap	<input type="button" value="Open EEPROM"/>
VIN:	<input type="text" value="WVWZZZ1KZDM635050"/>		<input type="button" value="Save EEPROM"/>
Immo ID	<input type="text" value="0000000000000000"/>		
CS:	<input type="text" value="75CE3A9E374F00"/>		Immo block
MAC:	<input type="text" value="54BFEEE3"/>		<input type="button" value="Import Data"/>
PIN:	<input type="text" value="39353"/>		<input type="button" value="Export Data"/>
PowerClass:	<input type="text" value="3A"/>		
Immo Type	<input type="text" value="WFS4"/>		Sec block
ECU Type:	<input type="text" value="Simos PCR 2.1"/>		<input type="button" value="Import Data"/>

VAG WFS3 - CS 6 BYTES, SPEED 500

	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F
00000	FF	50	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
00010	30	80	BC	62	79	EF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
00020	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
00030	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
00040	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
00050	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
00060	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
00070	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
00080	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
00090	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
000A0	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
000B0	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
000C0	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
000D0	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
000E0	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
000F0	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF

22.09.2020

Initial release v1.00

14.10.2020

Version release v1.01

Fixed:

- PSA critical bug fix (error in the algorithm)

15.10.2020

Version release v1.02

Fixed:

- FBS2 MB bug fix (some ECU gasoline in previous versions may not work)

03.11.2020

Version release v1.03

Added:

- VAG WFS3 algorithm (6 bytes CS CANBUS immo system)

27.11.2020

Version release v1.04

Fixed:

- In PSA improved immobilizer disarm signaling (LED) for newer ECUs that use multiple query to the immo system